

## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 1 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By)

: 奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

樣品名稱(Sample Name)

: GOLD PET LABEL (金色PET商標)

樣品型號(Style/Item No.)

(H)TLGMI25(J), R2HTLGMI25J, TLGMI25(UL), (H)TLGH25(J), (H)TLG25(E)(J),

TLGMB25

\_\_\_\_\_\_

收件日(Sample Receiving Date)

05-Jan-2022

測試期間(Testing Period)

05-Jan-2022 to 18-Jan-2022

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶指定·測試 PAHs 及其他測項。 (As specified by client, to test PAHs

and other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

(1) 根據客戶所選擇的部位測試·其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令 (EU) 2015/863之限值要求。 (Based on the performed tests on selected part of submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive

(EU) 2015/863 amending Annex II to Directive 2011/65/EU.)





PIN CODE: 57C217E1



## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 2 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 測試部位敘述 (Test Part Description)

No.1 : 金色/銀色膠帶及其上膠 (不含離型紙) (GOLDEN/SILVER COLORED TAPE WITH ADHESIVE

(EXCLUDING THE RELEASE PAPER))

#### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考IEC 62321-5: 2013 · 以感應耦合電漿 發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013 · 以感應耦合電漿 發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017·以 感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017·以紫外光-可見 光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)	  参考IEC 62321-6: 2015,以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)	iii 儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 3 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)	(Method)  (Unit)  mg/kg	mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015 · 以氣相層析儀/質 iii		5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)			5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)			5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)			5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	ı	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP)) (CAS No.: 85-68-7)					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.	1000
phthalate (DBP)) (CAS No.: 84-74-2)					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	n		50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP)) (CAS		3 3			
No.: 117-81-7)					
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
phthalate (DIBP)) (CAS No.: 84-69-5)		3 3			
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	`	mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-	' '	<i>J, J</i>			
0, 68515-49-1)	GC/MS.)				
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl		mg/kg	50	n.d.	-
phthalate (DINP)) (CAS No.: 28553-12-		J. J			
0, 68515-48-0)					
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)		<i>J.</i> 9			
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl		mg/kg	50	n.d.	-
phthalate (DNHP)) (CAS No.: 84-75-3)		ر کر			



## **Test Report**

號碼(No.): ETR22100865

日期(Date): 18-Jan-2022

頁數(Page): 4 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
₩ 寸 □ □ ₩ □ 丁 序 點 / D;			50	No.1	
鄰苯二甲酸二正庚酯 (Di-n-heptyl phthalate) (CAS No.: 3648-21-3)	參考IEC 62321-8: 2017·以氣相層析儀/質 譜儀分析。(With reference to IEC 62321-	mg/kg	50	n.d.	-
鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
六溴環十二烷及所有主要被辨別出的異構物 (HBCDD) ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)		50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)			50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to	mg/kg	0.01	n.d.	-
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
雙酚A (Bisphenol A) (CAS No.: 80-05-7)	參考RSTS-CHEM-239-1 · 以液相層析串聯質譜儀分析。(With reference to RSTS-CHEM-239-1, analysis was performed by LC/MS/MS.)	mg/kg	1	n.d.	-
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2013·以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2013, analysis was performed by FT-IR and Flame Test.)	**	-	Negative	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 5 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
多環芳香烴 (Polycyclic Aromatic					
Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	-
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.: 192- 97-2)		mg/kg	0.2	n.d.	-
苯駢蒽 (Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	-
苯(b)苯駢芴 (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	-
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	-
苯(k)苯駢芴 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	參考AfPS GS 2019:01 PAK,以氣相層析儀	mg/kg	0.2	n.d.	-
菌 (Chrysene) (CAS No.: 218-01-9)	/質譜儀分析。(With reference to AfPS GS	mg/kg	0.2	n.d.	=
二苯駢蒽 (Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	-
苯駢芘 (Benzo[g,h,i]perylene) (CAS No.: 191- 24-2)	r		0.2	n.d.	-
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)			0.2	n.d.	-
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	-
苯駢芴 (Fluoranthene) (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	-
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	-
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	=
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	=
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	-
苊烯 (Acenaphthylene) (CAS No.: 208-96-8)	參考AfPS GS 2019:01 PAK,以氣相層析儀	mg/kg	0.2	n.d.	-
苊 (Acenaphthene) (CAS No.: 83-32-9)	/質譜儀分析。(With reference to AfPS GS 2019:01 PAK, analysis was performed by	mg/kg	0.2	n.d.	-
芴 (Fluorene) (CAS No.: 86-73-7)	GC/MS.)	mg/kg	0.2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 6 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
溶出硒 (Soluble Selenium) (Se) (CAS No.: 7782-49-2)		mg/kg	5	n.d.	-
溶出銻 (Soluble Antimony) (Sb) (CAS No.: 7440-36-0)		mg/kg	5	n.d.	-
溶出鉛 (Soluble Lead) (Pb) (CAS No.: 7439-92-1)		mg/kg	5	n.d.	-
溶出汞 (Soluble Mercury) (Hg) (CAS No.: 7439-97-6)	參考ASTM F963-17 Clause 8.3.以感應耦 合電漿發射光譜儀分析。(With reference	mg/kg	5	n.d.	-
溶出鉻 (Soluble Chromium) (Cr) (CAS No.: 7440-47-3)	to ASTM F963-17 Clause 8.3, analysis was performed by ICP-OES.)	mg/kg	5	n.d.	-
溶出鎘 (Soluble Cadmium) (Cd) (CAS No.: 7440-43-9)		mg/kg	5	n.d.	-
溶出鋇 (Soluble Barium) (Ba) (CAS No.: 7440-39-3)		mg/kg	10	n.d.	-
溶出砷 (Soluble Arsenic) (As) (CAS No.: 7440-38-2)		mg/kg	2.5	n.d.	-

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):
  - CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.
- 8. 全氟辛酸及其鹽類包含 (PFOA and its salts including):
  - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 9. 符合性結果之判定係以測試結果與限值做比較。(The statement of compliance conformity is based on comparison of testing results and limits.)



## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 7 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### Remark:

#### △ 德國產品安全委員會(AfPS): GS PAHs 要求

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第 2 類(Category 2)		第 3 類(Category 3)		
項目 (Parameter)	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3	見與皮膚接觸逾 30 秒(長期皮膚接觸) 或重複的短時間接觸(Materials that are not in Category 1, with intended or foreseeable long-term		不屬於第 1 類或第 2 類的材料·並意 圖或可預見與皮膚接觸不超過 30 秒 (短期皮膚接觸)(Materials not covered by Category 1 or 2, with		
	years of age with intended long-term skin contact (> 30 seconds))	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer	供 14 歲以下兒童使	consumer	
Naphthalene	< 1	< 2		< 10		
Phenanthrene						
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Fluoranthene	\ 1 3uiii	< 3 3um	< 10 3um	< 20 Julii	< 50 Suiti	
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
15 項 PAH 總濃度 (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50	

單位(Unit):mg/kg



# **Test Report**

號碼(No.): ETR22100865 日期

日期(Date): 18-Jan-2022

頁數(Page): 8 of 18


奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)






## **Test Report**

號碼(No.): ETR22100865 日期(

日期(Date): 18-Jan-2022 頁數(Page): 9 of 18

突郝精密股份有限公司 (YI HAO PRECISION CO., LTD.) 南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





## **Test Report**

號碼(No.): ETR22100865

日期(Date): 18-Jan-2022


頁數(Page): 10 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





## **Test Report**


號碼(No.): ETR22100865 日期(Date): 18-Jan-2022

頁數(Page): 11 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





## **Test Report**


號碼(No.): ETR22100865 日期(Date): 18-Jan-2022

頁數(Page): 12 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 鹵素分析流程圖 / Analytical flow chart - Halogen






## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 13 of 18

突郝精密股份有限公司 (YI HAO PRECISION CO., LTD.) 南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





## **Test Report**

號碼(No.): ETR22100865


日期(Date): 18-Jan-2022

頁數(Page): 14 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 雙酚A分析流程圖 / Analytical flow chart - Bisphenol A





## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022

頁數(Page): 15 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)

樣品前處理 / Sample pretreatment

以甲苯溶液萃取(超音波萃取法) / Sample extracted (ultrasonic extraction) by toluene solvent

以氣相層析質譜儀分析 / Analysis was performed by GC/MS

數據 / Data



## **Test Report**


號碼(No.): ETR22100865 日期(Date): 18-Jan-2022

頁數(Page): 16 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### 聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





## **Test Report**

號碼(No.): ETR22100865


日期(Date): 18-Jan-2022

頁數(Page): 17 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.)

南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

#### ASTM F963 分析流程圖 / Analytical flow chart- ASTM F963






## **Test Report**

號碼(No.): ETR22100865 日期(Date): 18-Jan-2022 頁數(Page): 18 of 18

奕郝精密股份有限公司 (YI HAO PRECISION CO., LTD.) 南投市南崗工業區成功三路216號 (NO. 216, CHENGKUNG 3RD RD., NANKANG IND PARK, NANTOU 540, TAIWAN)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### ETR22100865



\*\* 報告結尾 (End of Report) \*\*