

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the hp Electrolnk White for ws 4000

preparation Q4011A

Use of the preparation For use with HP Indigo Press series 4000

Manufacturer information Hewlett Packard Company

Limburglaan 5

6221 SH Maastricht, The Netherlands

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836 (Toll-free) 1-800-474-6836 (Direct) 1-208-323-2551

Date prepared Jan 01, 2007

MSDS number 212821

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Petroleum hydrocarbon	90622-58-5	< 80
C.I.P.W. 6 No.77891	13463-67-7	< 15

Composition comments This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effectsAny potential hazards are presumed to be due to exposure to the components.

Skin contact

Petroleum hydrocarbon

Prolonged or repeated contact can result in defatting and drying of the skin which may result in

skin irritation and dermatitis (rash).

Eye contact

Petroleum hydrocarbon

Slightly irritating but does not injure eye tissue. Direct contact with the eye may cause

discomfort and redness.

Inhalation As a paste, the risk for lung damage is unlikely.

Petroleum hydrocarbon

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Ingestion

Petroleum hydrocarbon

Small amounts of this product, if aspirated into the lungs, may cause mild to severe pulmonary

injury.

Potential health effects

Routes of exposure Potential routes of exposure to this product are skin and eye contact, ingestion and inhalation.

Material name Q4011A MSDS US

Creation date Nov 08, 2004 Version number 3 1 / 5



Chronic health effects Prolonged or repeated skin contact may cause skin irritation or allergic skin sensitization

reaction.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Do not apply neutralizing agents.

Inhalation If overcome by vapor, remove person from exposure to fresh air. If breathing is difficult, give

oxygen. If symptoms persist, get medical attention.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person.

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

> 64 °C (based on petroleum hydrocarbon); Pensky-Martens Closed Cup Flash point and method

Auto ignition temperature > 200 °C (based on petroleum hydrocarbon)

Hazardous combustion

products

Refer to section 10.

Extinguishing media Suitable extinguishing media: Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known

Move containers from fire area if you can do it without risk. Fire fighting

equipment/instructions Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container.

Dispose of in compliance with federal, state, and local regulations.

See also section 13 Disposal considerations.

Evacuation procedures In case of large spills, follow all facility emergency response procedures.

7. HANDLING AND STORAGE

Handling Avoid prolonged or repeated skin contact with this material. Avoid contact with skin, eyes and

clothing.

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary

measures against static discharges.

Keep away from excessive heat or cold. Store in a cool and shaded area. Do not store in direct Storage

sunlight.

Material name Q4011A MSDS US Version number 3



Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Manufacturer recommended exposure limit based on petroleum hydrocarbon at > 70%. TWA = **Exposure limit values**

171ppm (1200 mg/m3).

OSHA - Final PELs - Time Weighted Averages (TWAs)

C.I.P.W. 6 No.77891 13463-67-7 15 mg/m3 TWA (total dust)

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA) C.I.P.W. 6 No.77891 13463-67-7 10 mg/m3 TWA

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye. Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

188 °C (based on petroleum hydrocarbon) **Boiling point**

Specific gravity 1.24 g/mL **VOC** content 910 g/L

Flash point > 64 °C (based on petroleum hydrocarbon)

Appearance Paste

Odor mild hydrocarbon-like

Oxidizing properties Not applicable

Color white

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stable under recommended storage conditions. Stability

Hazardous polymerization Will not occur.

Hazardous decomposition

weight hydrocarbons.

products

This product may react with strong oxidizing agents. Incompatibility

11. TOXICOLOGICAL INFORMATION

The ink formulation has not been tested.

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

C.I.P.W. 6 No.77891 13463-67-7 respiratory system (in animals: lung tumors)

12. ECOLOGICAL INFORMATION

Aquatic toxicity This product has not been tested for ecological effects.

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with federal, state, and local regulations. **Disposal instructions**

14. TRANSPORTATION INFORMATION

Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID. General

Material name Q4011A MSDS US Creation date Nov 08, 2004 Version number 3 3/5

IATA

Proper shipping name Not applicable Not applicable **Hazard class**

Packaging exceptions none Identification number (UN) none Packing group none

15. REGULATORY INFORMATION

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or

orders under TSCA.

US TSCA 12(b): Does not contain listed chemicals.

HMIS ratings Health:

Flammability: 2 0 Physical hazard:

NFPA ratings Health: 1

Flammability: 2 0 Instability:

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

Yes

No

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Jan 1 2007 9:03PM Issue date

3 Revision

Replaces sheet dated Sep 27 2006 4:19PM

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Disclaimer

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material name Q4011A MSDS US Creation date Nov 08, 2004 Version number 3 4/5



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material nameQ4011AMSDS USCreation dateNov 08, 2004Version number 35 / 5